

**Beyond excellence**  **always...**



**ISO 9001 : 2015 CERTIFIED COMPANY**



**PROMISE**

A Complete Printing  
and Fusing Solutions

Apparel Fusing, Textile and Garments Printing, Transfer Printing and Die Cutting Equipments  
Dye Sublimation Printing Equipments and Consumables

**PROMISE ENGINEERING MACHINES**

G.F. Plot No - 710/3, Gali No. 3, Saini Vihar Village  
Mundka, West Delhi, Delhi 110041  
Mobile No: 9971127530 | 9971970904  
Email: [promiseengmachine@gmail.com](mailto:promiseengmachine@gmail.com)  
[www.promisemachine.com](http://www.promisemachine.com)



## PROMISE

### Profile:

Promise Engineering Machines was established in 2014 with a vision to modern machinery requirements for Garment Printing and Finishing Equipments at national and international level, it is an independent 100% in-house manufacturing company, which has pioneer status in terms of technology, and manufacturing capabilities. Promise itself is a commitment to providing the most professional and responsive services available. Promise Engineering Machines pioneers in manufacturing of textile printing, fusing Curing, Dye Sublimation and co-related apparel processing services. The company is equipped with R & D testing facilities and technical library. Promise is quality-recognized company and is active in manufacturing and marketing of high quality garment finishing machines.

### Quality:

Promise Engineering Machines undertakes to remain as a symbol of best quality and state of art technology. Satisfactions guaranteed to our esteemed customers through best quality control and timely deliveries, providing secure uniform quality products by observing standard work practices and through constant training and education of our workforce.

### Some of the features of our products are :

- High performance
- Operational efficiency
- Comprehensive range
- Heat resistance
- Oil resistance
- Corrosion resistance
- Flexibility
- Durability
- High Tensile strength
- Low operational costs
- Cost effective
- Rugged construction
- Available in various grades and sizes

### The team consists of :

- Engineers
- Technicians
- Quality regulators
- Warehousing and Packaging personnel
- Procuring agents
- R & D experts
- Sales and marketing executives
- Administrators
- Researchers
- Skilled and semi skilled workers

### Infrastructure:

Infrastructure is our strength of character, Hi-tech machinery, efficient and skilled workforce make a immense combination to sustain our growth rate. Better environment and work culture add to it.

### Business Policy:

Promise Engineering Machines understand the need to upgrade and modernize itself to cater ever-increasing global market. The bench marking of product quality and customer.

### R & D:

Promise Engineering Machines undertakes to translate technological developments in design and process innovations to answer the customer expectations. The company's commitment to upgrade design and quality is reflected in its consistent high volume of investment in R & D facility and cost effective handling of all manufacturing process.

### Service:

We have experienced and trained engineers, who are all positioned to assist our customers on all aspects of machinery maintenance and repair, from basic mechanical to the latest electronic equipment from standard to complex automatics.

### Our Team:


We are backed by a team of highly skilled, experienced and dedicated professionals who are well versed in their field of domain. They team members work in close coordination with one another to achieve the organizational goal of total client satisfaction Moreover, they are capable of handling any given job with ease and confidence. Our team members stay committed not only to offer highly qualitative products to our clients, but also to maintain timely delivery schedules. Furthermore, we also provide them with regular training session to not only enhance their skills, but also to keep them abreast of the latest market trends.

## ROTARY SUBLIMATION PRESS

### FEATURES

- Drum type continuous unlimited sublimation press.
- Easy to operate roll fabric and cut pieces.
- After printing fabric and paper roll system.
- Variable speed adjustment as per fabrics.
- As per customer requirement sizes available.
- Very high quality printing result.

Model	Roll to Roll	KW	Speed	Power	Power
R/R-66	66"	18KW	350 Die	440 VAC	1500 Kgs
R/R-44	48"	10.5KW	350 Die	440 VAC	1200 Kgs
R/R-72	72"	24KW	420 Die	440 VAC	1900 Kgs
R/R-66	66"	25KW	500 Die	440 VAC	2400 Kgs
R/R-72	72"	26KW	500 Die	440 VAC	2500 Kgs
R/R-66	66"	30KW	600 Die	440 VAC	2800 Kgs
R/R-72	72"	32KW	600 Die	440 VAC	3000 Kgs
R/R-66	66"	36KW	800 Die	440 VAC	3400 Kgs
R/R-72	72"	38KW	800 Die	440 VAC	3600 Kgs
R/R-48	48"	5.5KW	250 Die	220 VAC	950 Kgs
R/R-66	66"	48KW	1000 Die	440 VAC	4200 Kgs
R/R-72	72"	52KW	1000 Die	440 VAC	4500 Kgs
R/R-120	120"	32KW	350 Die	440 VAC	3200 Kgs
R/R-120	120"	48KW	500 Die	440 VAC	4500 Kgs
R/R-120	120"	62KW	800 Die	440 VAC	6000 Kgs



## AUTOMATIC AND MANUAL JOGGER

### FEATURES

- Fully automatic and fully manual heat transfer press for extra large fabrics.
- All types fusing sublimation and foil transfer for good result.
- Easy operating manual and automatic available.
- Electronic heater ssr for noise free and zero maintenance.
- Doble tray movement for fast production.
- High quality motor and variable speed adjustment.

Model	Size	KW	Power	Weight
Jogger	36/42"	8 KW	440 VAC	800 Kgs
Jogger	32/50"	9 KW	440 VAC	800 Kgs
Jogger	22/24"	4 KW	440 VAC	300 Kgs
Jogger	20/30"	4 KW	440 VAC	350 Kgs
Jogger	32/45"	7 KW	440 VAC	700 Kgs
Jogger	30/40"	7 KW	440 VAC	700 Kgs
Jogger	60/40"	12 KW	440 VAC	1250 Kgs



**MP 44, 54,64**



**FEATURES**

- Easy operating trough clamp system.
- Electronic ssr circuit noise free and zero maintenance.
- High performance printing.
- Good movability

Model	Size	Power	Temperature	Weight
MP	15/15"	1500W/230V	230°VAC	30 Kgs
MP	15/20"	2600W/230V	230°VAC	45 Kgs
MP	3/4"	500W/230V	230°VAC	8 Kgs
MP	6/6"	900W/230V	230°VAC	15 Kgs

**AMP 44, 54,64**



**FEATURES**

- Fully automatic press.
- Easy sliding movement.
- Electronic ssr circuit noise free and zero maintenance.
- High performance printing

Model	Size	Power	Temperature	Weight
A MP	15/20"	2600W/230V	230°C	85 Kgs
A MP	17/22"	3600W/230V	230°C	95 Kgs
A MP	22/24"	4.5KW/230V	230°C	110 Kgs
A MP	24/36"	5.5KW/230V	230°C	150 Kgs
A MP	30/40"	6KW/230V	230°C	170 Kgs

**AMJ 2/4, 4/4, 6/6, 8/8, 15/15**



**FEATURES**

- Fully automatic press.
- Double pallet fast production system
- Electronic ssr circuit noise free and zero maintenance.
- All safety features

Model	Size	Power	Temperature	Weight
AMJ6/6	6/6"	700W/230V	230°C	60 Kgs
AMJ8/8	8/8"	900W/230V	230°C	65 Kgs
AMJ 15/15	15/15"	1500W/230V	230°C	75 Kgs

**AMD 54, 64**



**FEATURES**

- Fully automatic press.
- Double pallet fast production system
- Easy operating tray movement.
- Electronic ssr circuit noise free and zero maintenance

Model	Size	Power	Temperature	Weight
AMD 54	15/20"	3600W/230V	230°C	125 Kgs
AMD 64	17/22"	3600W/230V	230°C	140 Kgs
AMD 74	22/24"	4.5KW/230V	230°C	150 Kgs



## SCREEN DRAYER

### FEATURES



- Easy tray movement
- Internal air circulation chamber.
- High quality bearings.
- Even temperature chamber inside as per set temperature
- AS per customer requirement sizes available.

Model	Screen Size	KW	Power	Power
SD 46	40/46	2.5 KW	230 VAC	125 Kgs

## INK MIXER

### FEATURES

- Easy to mix small to large diameter drums.
- Automatic and manual operating system.
- High HP motor for mixing all types of inks.
- Easy load and unload system.
- As per customer requirement sizes available
- Variable speed adjustment.



Model	Liters	HP	Power	Weight
Mixer 3 Feet	150 Ltrs	2 HP	440 VAC	400 Kgs
Mixer 4.5 Feet	250 Ltrs	5 HP	440 VAC	550 Kgs

## STRAIGHT LINER FUSING

### FEATURES

- Fusing shirts, collars, cuffs, front placket and all type of fusing.
- Large and small conveyer fusing fabric.
- Foil printing and fusing.
- Easy loading and exit system
- Long life belt and all parts of machine.
- Good tracking system
- Easy to install in small places.
- Pneumatic presser 5 Kgs in out of the world fusing.
- Good Scrapper for easy fix and removal.
- Sizes Scrapper for easy fix and removal.
- Sizes available as per customer requirement.



Model	Size	KW	Power	Weight	Temperature
SF-450	450 MM	4 KW	230 VAC	140 Kgs	225°C Max
SF-600	600 MM	9 KW	440 VAC	725 Kgs	225°C Max
SF-1000	1000 MM	24 KW	440 VAC	1250 Kgs	225°C Max
SF-1500	1500 MM	30 KW	440 VAC	1550 Kgs	225°C Max

# IR CURING MACHINE

## FEATURES

- Promise IR technology consumes extremely less electricity
- Best IR Heaters and perfect control on temperatures and evenness of heat.
- IR curing requirement of water base plastisol pigment an all types of Inks.
- Without belt traching conveyer
- Electrical circuit ssr and digital PID and zero maintenance.
- Nonstick and heat resistant teflon belt conveyer.
- Easy Assembled and dissemble system.



Model	IR 600	IR 900	IR 90	IR 120	IR 150
Belt width	24 Inches	36 Inches	36 Inches	48 Inches	62 Inches
	230C Max	230C Max	230C Max	230C Max	230C Max
KW	12 KW	18 KW	24 KW	24 KW	30 KW
Power	440AC	440AC	440AC	440AC	440AC
Weight	285Kgs	435Kgs	650Kgs	900Kgs	1250Kgs

## MANUAL LANYORD PRINTING MACHINE



Model	SIZE	KW	Power	Weight
MP-66	13/40"	3KW	220VAC	60 Kgs
MP	13/36"	3KW	220VAC	50 Kgs

## AUTOMATIC LANYORD PRINTING MACHINE



Model	SIZE	KW	Power	Weight
JOGGER	24/40"	7KW	440VAC	406 Kgs
JOGGER	24/36"	6KW	440VAC	366 Kgs

# CHEST PRINTING MACHINE



## FEATURES

- Manually Operating easy movement Chest Printing Machine.
- Screen fixing is very easy.
- Color ranges 4 to 8.
- High quality spring movement.
- 100% registration on all pallets.
- Free moving bearing system.

Model	Color 4/4	Color 6/6	Color 8/8
Registration	4	6	8
Pallet Size	17/22	17/22	17/22
Weight	350Kgs	550Kgs	750Kgs

# SPOT DRYER

## SPOT DRYER

- Infrared tubes for fast heat up and cool time.
- Easy movable from one to another place.
- Pallet size adjustable heating chamber.
- Easy height adjustable.
- Very less power consumable.
- Automatic on and off system.
- Electronic SSR circuit noise free and zero maintenance.

Model	Medium Wave	Short Wave	Short Wave
Size	17/22	17/22	24/24
Heater	3 KW	6 KW	9 KW
Power	230AC	440AC	440AC
Weight	23Kgs	23Kgs	32Kgs



## UV TUBE EXPOSING MACHINE



### FEATURES

- High quality UV Tube screen exposing machine.
- Electronic transistor circuit noise free and zero maintenance.
- Efficient digital timer.
- Oil less high quality vacuum pump.
- Automatic electrical control for all operations

Model	Frame SIZE	Weight	Power	KW
Small	40-50 Inches	200 Kgs	230VAC	2.5 Kw
Medium	38-48 Inches	325 Kgs	440VAC	3.5 Kw
High	48-58 Inches	550 Kgs	440VAC	4 Kw

## METAL HALIDE EXPOSING MACHINE



### FEATURES

- High quality metal halide screen exposing machine.
- Electronic transistor circuit noise free and zero maintenance.
- Efficient digital timer.
- Oil less high quality vacuum pump.
- Automatic electrical control for all operations.

Model	Frame SIZE	Weight	Power	KW
4252	40-50 Inches	200 Kgs	440AC	3 KW

## STRETCHING CLAMP



### FEATURES

- Easy holding clamp system.
- Adjustable knob for screen height adjustment.
- Perfect presser control from air regulator.
- Long service life.
- As per customer requirement sizes available.

Model	SIZE	Weight
SC 250	250 MM	10 Kgs

## SCREEN WASHING BOOTH

### FEATURES

- Screen washing very easy.
- Ultimate air & water pump system.



## CAP MACHINE



## MUG PRINTING MACHINE

